References:

Ambulance Service Network Community Health Services Forum. Falls prevention: new approaches to integrated falls prevention services. Briefing 2012: 234. NHS Confederation. Available From: https://www.nhsconfed.org/%7E/media/Confederation/Files/Publications/Documents/Falls_preven tion_briefing_final_for_website_30_April.pdf

Australian Institute of Health and Welfare. Older Australia at a glance: Australian Government; 2019 [10 October 2021]. Available from: Older Australia at a glance, Report editions - Australian Institute of Health and Welfare (aihw.gov.au)

Aveyard, H. (2019). Doing Literature Review In Health And Social Care A Practical Guide. 4th ed. Maidenhead Mcgraw-Hill/Open University Press.

Bergeron, E., Clement, J., Lavoie, A., Ratte, S., Bamvita, J.-M., Aumont, F. and Clas, D. (2006). A Simple Fall in the Elderly: Not So Simple. The Journal of Trauma: Injury, Infection, and Critical Care, 60(2), pp.268–273.

Boyé N, Van Lieshout E, Van Beeck F, Van der Cammen HT, Patka P (2013) The impact of falls in the elderly. Trauma 15(1): 29–35. doi: 10.1177/1460408612463145

Boyer EL. Scholarship Reconsidered: Priorities of the Professoriate. San Fransisco, CA: Jossey-Bass; 2016.

Braun, V. & Clarke, V. (2006). Using thematic analysis in psychology. Qualitative Research in Psychology, 3, 77-101.

Briggs Institute, J. (2020). critical-appraisal-tools - Critical Appraisal Tools | Joanna Briggs Institute. [online] jbi.global. Available at: https://jbi.global/critical-appraisal-tools.

Bryman, A. & Bell, E. (2007) "Business Research Methods", 2nd edition. Oxford University Press.

Caulfield, J. (2019). How to do thematic analysis. [online] Scribbr. Available at: https://www.scribbr.com/methodology/thematic-analysis/.

CDC (2010). Centers for Disease Control and Prevention. [online] Centers for Disease Control and Prevention. Available at: https://www.cdc.gov/.

Centers for Disease Control. (2017). Important facts about falls. Retrieved from https://www.cdc.gov/ homeandrecreationalsafety/falls/adultfalls.html

Centers for Disease Control and Prevention. About the National Health Interview Survey. 2010. URL: www.cdc.gov/nchs/nhis/about_nhis.htm (accessed 31 January 2022).

Centre for Clinical Practice at NICE (UK). (2013). Falls: Assessment and Prevention of Falls in Older People. National Institute for Health and Care Excellence (UK).

Chen, S.-F., Huang, S.-F., Lu, L.-T., Wang, M.-C., Liao, J.-Y. and Guo, J.-L. (2016). Patterns of perspectives on fall-prevention beliefs by community-dwelling older adults: a Q method investigation. BMC Geriatrics, [online] 16(1). Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4936088/ [Accessed 26 Nov. 2021].

Close JC. Interdisciplinary practice in the prevention of falls-a review of working models of care. Age Ageing 2001;30:8–12. http://dx.doi.org/10.1093/ageing/30.suppl_4.8

Close J, Ellis M, Hooper R, Glucksman E, Jackson S, Swift C. Prevention of falls in the elderly trial (PROFET): a randomised controlled trial. Lancet 1999;353:93–7. http://dx.doi.org/10.1016/ S0140-6736(98)06119-4

Comans TA, Currin ML, Quinn J, et al. Problems with a great idea: referral by prehospital emergency services to a community-based falls-prevention service. Inj Prev 2013;19:134–8.

CRITICAL APPRAISAL SKILLS PROGRAMME (2018). CASP checklists. [online] CASP - Critical Appraisal Skills Programme. Available at: https://casp-uk.net/casp-tools-checklists/.

Critical Appraisal Skills Programme (2018). CASP (Systematic Review) Checklist. [online] Available at: https://casp-uk.b-cdn.net/wp-content/uploads/2018/03/CASP-Systematic-Review-Checklist-2018_fillable-form.pdf. Accessed: 27/11/2021

Critical Appraisal Skills Programme (2020). CASP (Randomised Controlled Trial) Checklist. [online] Available at: https://casp-uk.b-cdn.net/wpcontent/uploads/2020/10/CASP_RCT_Checklist_PDF_Fillable_Form.pdf Accessed: 27/11/2021

Department of Health (DH). Taking Healthcare to the Patient: Transforming NHS Ambulance Services. London: DH; 2005. URL: http://ircp.info/Portals/11/Future/NHS%20EMS%20Policy% 20Recommendation2005.pdf

Department of Health. National Service Framework for Older People 2001. URL: www.gov.uk/ government/uploads/system/uploads/attachment_data/file/198033/National_Service_Framework_ for_Older_People.pdf

Devlin, S. (2021). Prehospital treatment of rhabdomyolysis in people who fall. Journal of Paramedic Practice, 13(7), pp.1–6.

Critical Appraisal Skills Programme (2018). CASP (Qualitative) Checklist. [online] Available at: https://casp-uk.b-cdn.net/wp-content/uploads/2018/03/CASP-Qualitative-Checklist-2018_fillable_form.pdf. Accessed: 27/11/2021

Faul, M., Stevens, J.A., Sasser, S.M., Alee, L., Deokar, A.J., Kuhls, D.A. and Burke, P.A. (2016). Older Adult Falls Seen by Emergency Medical Service Providers. American Journal of Preventive Medicine, 50(6), pp.719–726.

Fineout-Overholt E and Johnston L (2005) Teaching evidence based practice: asking searchable, answerable clinical questions, World Views on Evidence-Based Nursing 2 (3): 157–60.

Flavell, E. and Boyle, M. (2011). Falls in the prehospital environment. Journal of Paramedic Practice, 3(5), pp.238–243.

Gall, M. D., Borg, W. R., & Gall, J. P. (1996). Education research: An introduction (6th ed.). White Plains, NY: Longman.

Gillespie LD, Robertson MC, Gillespie WJ, Sherrington C, Gates S, Clemson L, Lamb SE. Interventions for preventing falls in older people living in the community. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD007146. DOI: 10.1002/14651858.CD007146.pub3.

Goldberg RJ, Zautcke JL, Koenigsberg MD, Lee RW, Nagorka FW, Kling M, et al. A review of prehospital care litigation in a large metropolitan EMS system. Ann Emerg Med 1990;19:557–61. http://dx.doi.org/10.1016/S0196-0644(05)82189-4

Greenhalgh, T., 2014. How to read a paper [electronic resource]. New York: Wiley-Blackwell.

Hart, C. (1998). Doing a literature review: Releasing the social science research imagination. London: Sage.

Hill, K.D., Moore, K.J., Dorevitch, M.I. and Day, L.M. (2008). Effectiveness of Falls Clinics: An Evaluation of Outcomes and Client Adherence to Recommended Interventions. Journal of the American Geriatrics Society, 56(4), pp.600–608.

Hong, Q.N., Fàbregues, S., Bartlett, G., Boardman, F., Cargo, M., Dagenais, P., Gagnon, M.-P., Griffiths, F., Nicolau, B., O'Cathain, A., Rousseau, M.-C., Vedel, I. and Pluye, P. (2018). The Mixed Methods Appraisal Tool (MMAT) version 2018 for information professionals and researchers. Education for Information, 34(4), pp.285–291.

Infinger, A., Dowbiggin, P., Seymour, R., Wally, M., Karunakar, M., Caprio, A., Patt, J. and Studnek, J.R. (2019). Development of a Content Valid and Reliable Prehospital Environmental Falls Risk Assessment Tool for Older Adults. Prehospital Emergency Care, pp.1–6.

Joanna Briggs Institute (2020) Critical Appraisal Checklist for Qualitative Research. Accessed: 27/11/2021

Joanna Briggs Institute (2020) Critical Appraisal Checklist for Randomized Controlled Trials. Accessed: 27/11/2021

Joanna Briggs Institute (2020) Critical Appraisal Checklist for Systematic Reviews. Accessed: 27/11/2021

Joint Royal Colleges Ambulance Liaison Committee, Association of Ambulance Chief Executives (2021) JRCALC Clinical Guidelines 2019. Bridgewater: Class Professional Publishing

Kara, H., 2021. Ethics and Your Literature Review — Methodspace. [online] Methodspace. Available at: https://www.methodspace.com/blog/125795-2 [Accessed 14 November 2021].

Kawano, T., Nishiyama, K., Anan, H. and Tujimura, Y. (2013). Direct relationship between aging and overcrowding in the ED, and a calculation formula for demand projection: a cross-sectional study. Emergency Medicine Journal, 31(1), pp.19–23.

Keogh B. High quality care for all, now and for future generations: transforming urgent and emergency care services in England–urgent and emergency care review end of phase 1 report. 1-30. NHS England, 2013.

Lester, J.N., Cho, Y. and Lochmiller, C.R. (2020). Learning to Do Qualitative Data Analysis: A Starting Point. Human Resource Development Review, [online] 19(1), pp.94–106. Available at: https://journals.sagepub.com/doi/full/10.1177/1534484320903890.

Liu, S.W., Obermeyer, Z., Chang, Y. and Shankar, K.N. (2015). Frequency of ED revisits and death among older adults after a fall. The American Journal of Emergency Medicine, 33(8), pp.1012–1018.

Logan, P.A., Coupland, C.A.C., Gladman, J.R.F., Sahota, O., Stoner-Hobbs, V., Robertson, K., Tomlinson, V., Ward, M., Sach, T. and Avery, A.J. (2010). Community falls prevention for people who call an emergency ambulance after a fall: randomised controlled trial. BMJ, 340(may11 1), pp.c2102– c2102.

Logan PA, Coupland CA, Gladman JR, et al. Community falls prevention for people who call an emergency ambulance after a fall: randomised controlled trial. BMJ 2010;340:c2102.

Lu Y, DiPierro M, Chen L, Chin R, Fava M, Yeung A (2014) The evaluation of a culturally appropriate communitybased lifestyle intervention programme for elderly Chinese immigrants with chronic diseases: a pilot study. J Public Health 36(1): 149–55. doi: 10.1093/pubmed/fdt037

Maggio, L.A., Sewell, J.L. and Artino, A.R. (2016). The Literature Review: A Foundation for High-Quality Medical Education Research. Journal of Graduate Medical Education, [online] 8(3), pp.297– 303. Available at: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4936839/.

Maguire and Delahunt. (2017). Doing a Thematic Analysis: A Practical, Step-by-Step Guide for Learning and Teaching Scholars. All Ireland journal of teaching and learning in higher education. Dundalk Institute of Technology. Volume 3. Pg 3351.

Maurin Söderholm, H., Andersson, H., Andersson Hagiwara, M., Backlund, P., Bergman, J., Lundberg, L. and Sjöqvist, B.A. (2019). Research challenges in prehospital care: the need for a simulation-based prehospital research laboratory. Advances in Simulation, 4(1).

McInnes E, Seers K, Tutton L (2011) Older people's views in relation to risk of falling and need for intervention: a metaethnography. J Adv Nurs 67(12): 2525–36. doi: 10.1111/j.1365-2648.2011.05707.x

McInnes, L.; Gibbons, E.; Chandler-Oatts, J. Clinical practice guideline for the assessment and prevention of falls in older people. Worldviews Evid. -Based Nurs. 2005, 2, 33–36.

McInnes and Askie, Evidence review on older people's views and experiences of falls prevention strategies. Worldviews on Evidence Based Nursing, 2004. 1(1): p. 20-37.

McKay, C. and Anderson, K.E. (2010). How to manage falls in community dwelling older adults: a review of the evidence. Postgraduate Medical Journal, 86(1015), pp.299–306.

McPhate, L., Simek, E.M. and Haines, T.P. (2013). Program-related factors are associated with adherence to group exercise interventions for the prevention of falls: a systematic review. Journal of Physiotherapy, 59(2), pp.81–92.

Mikolaizak, A.S. (2015). A multidisciplinary intervention to reduce subsequent falls and health service use in older fallers who are not transported to hospital following ambulance care.

Mikolaizak, A.S., Lord, S.R., Tiedemann, A., Simpson, P., Caplan, G.A., Bendall, J., Howard, K., Webster, L., Payne, N., Hamilton, S., Lo, J., Ramsay, E., O'Rourke, S., Roylance, L. and Close, J.C. (2016). A multidisciplinary intervention to prevent subsequent falls and health service use following fall-related paramedic care: a randomised controlled trial. Age and Ageing. [online] Available at: https://academic.oup.com/ageing/article/46/2/200/2333806.

Minichiello, V., Browne, J., and Kendig, H., Perceptions and consequences of ageism: Views of older people. Ageing and Society, 2000. 20: p. 253-278.

Mitchell, T. R. (1982). Motivation: New directions for theory, research, and practice. Academy of Management Review, 7, 80–88

Moher D, Liberati A, Tetzlaff J, Altman D G. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement BMJ 2009; 339 :b2535 doi:10.1136/bmj.b2535

Mullins, L.J. (2010). Management and Organisational Behaviour. 10th ed. Harlow, FT Prentice Hall

Murdoch, S. (2018). A pre-hospital focus on rhabdomyolysis in elderly falls. Journal of Paramedic Practice, 10(8), pp.348–350.

Nellist, E. and Lethbridge, K. (2013). Rhabdomyolysis: an overview for pre-hospital clinicians. Journal of Paramedic Practice, 5(8), pp.442–446.

Nevitt MC, Cummings SR, Kidd S, Black D. Risk factors for recurrent nonsyncopal falls. A prospective study. JAMA 1989;261:2663–8. http://dx.doi.org/10.1001/jama.1989.03420180087036

Newton, J.L. (2006). The costs of falls in the community to the North East Ambulance Service. Emergency Medicine Journal, 23(6), pp.479–481.

NHS England. Transforming Urgent and Emergency Care Services in England. Leeds: NHS England; 2013. URL: www.nhs.uk/NHSEngland/keogh-review/Documents/UECR.Ph1Report.FV.pdf

Nyman, S.R. and Victor, C.R. (2011). Older people's recruitment, sustained participation, and adherence to falls prevention interventions in institutional settings: a supplement to the Cochrane systematic review. Age and Ageing, 40(4), pp.430–436.

O'Hara, R., Johnson, M., Siriwardena, A.N., Weyman, A., Turner, J., Shaw, D., Mortimer, P., Newman, C., Hirst, E., Storey, M., Mason, S., Quinn, T. and Shewan, J. (2014). A qualitative study of systemic influences on paramedic decision making: care transitions and patient safety. Journal of Health Services Research & Policy, 20(1_suppl), pp.45–53.

People, O. (2001). Modern Standards and Service Models National Service Framework for Older People National Service Framework for Older People Contents. [online] Available at: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file /198033/National_Service_Framework_for_Older_People.pdf.

Portela, M.C., Pronovost, P.J., Woodcock, T., Carter, P. and Dixon-Woods, M. (2015). Republished: How to study improvement interventions: a brief overview of possible study types: Table 1. Postgraduate Medical Journal, 91(1076), pp.343–354.

Porter, A., Snooks, H., Youren, A., Gaze, S., Whitfield, R., Rapport, F. and Woollard, M. (2007). Should I stay or should I go?' Deciding whether to go to hospital after a 999 call. Journal of Health Services Research & Policy, 12(1_suppl), pp.32–38.

Porter A, Snooks H, Youren A, Gaze S, Whitfield R, Rapport F, et al. 'Should I stay or should I go?' Deciding whether to go to hospital after a 999 call. J Health Serv Res Policy 2007;12:32–8. http://dx.doi.org/10.1258/135581907780318392

Pyer, M., Campbell, J., Ward, A., Knights, A. and Jones, J. (2015). Falls assessment and prevention in older people: an evaluation of the Crisis Response Service. Journal of Paramedic Practice, 7(2), pp.68–72.

Quatman, C.E., Anderson, J.P., Mondor, M., Halweg, J., Quatman-Yates, C. and Switzer, J.A. (2018). Frequent 911 Fall Calls in Older Adults: Opportunity for Injury Prevention Strategies. Journal of the American Geriatrics Society, 66(9), pp.1737–1743.

Randolph, J. (2009). A Guide to Writing the Dissertation Literature Review. Practical Assessment, Research, and Evaluation,.

Recommendations for using outcome measures. (n.d.). [online] Available at: https://www.corc.uk.net/media/1487/corc-approach-v3.pdf.

Ross, L., Jennings, P.A., Smith, K. and Williams, B. (2016). Paramedic Attendance to Older Patients in Australia, and the Prevalence and Implications of Psychosocial Issues. Prehospital Emergency Care, 21(1), pp.32–38.

Rubenstein, L.Z. (2006). Falls in older people: epidemiology, risk factors and strategies for prevention. Age and Ageing, [online] 35(suppl_2), pp.ii37–ii41. Available at: https://academic.oup.com/ageing/article/35/suppl_2/ii37/15775.

Salter, A.E., Khan, K.M., Donaldson, M.G., Davis, J.C., et al., Community-dwelling seniors who present to the emergency department with a fall do not receive guideline care and their fall risk profile worsens significantly: A 6-month prospective study. Osteoporosis International, 2006. 17(5): p. 672-683.

Shah MN, Caprio TV, Swanson P, et al. A novel emergency medical services-based program to identify and assist older adults in a rural community. J Am Geriatr Soc 2010;58:2205–11.

Shah MN, Clarkson L, Lerner EB, et al. An emergency medical services program to promote the health of older adults. J Am Geriatr Soc 2006;54:956–62.

Shandro JR, Spain DA, Dicker RA. Recruitment strategies for a fall prevention program: if we build it, will they really come? J Trauma 2007; 63:142–6.

Simek, E.M., McPhate, L. and Haines, T.P. (2012). Adherence to and efficacy of home exercise programs to prevent falls: A systematic review and meta-analysis of the impact of exercise program characteristics. Preventive Medicine, 55(4), pp.262–275.

Snooks, H.A., Anthony, R., Chatters, R., Dale, J., Fothergill, R.T., Gaze, S., Halter, M., Humphreys, I., Koniotou, M., Logan, P., Lyons, R.A., Mason, S., Nicholl, J., Peconi, J., Phillips, C., Porter, A., Siriwardena, A.N., Wani, M., Watkins, A. and Wilson, L. (2017). Paramedic Assessment of Older Adults After Falls, Including Community Care Referral Pathway: Cluster Randomized Trial. Annals of Emergency Medicine, [online] 70(4), pp.495-505.e28. Available at: https://www.sciencedirect.com/science/article/pii/S0196064417300161.

Snooks HA, Carter B, Dale J, et al. Support and Assessment for Fall Emergency Referrals (SAFER 1): cluster randomised trial of computerised clinical decision support for paramedics. PLoS ONE 2014;9:e106436.

Snooks HA, Halter M, Close JC, Cheung WY, Moore F, Roberts SE. Emergency care of older people who fall: a missed opportunity. Qual Saf Health Care 2006;15:390–2. http://dx.doi.org/10.1136/qshc.2006.018697

Snooks H, Anthony R, Chatters R, Cheung W-Y, Dale J, Donohoe R, et al. Support and assessment for fall emergency referrals (SAFER 2) research protocol: cluster randomised trial of the clinical and cost effectiveness of new protocols for emergency ambulance paramedics to assess and refer to

appropriate community-based care. BMJ Open 2012;2:e002169. http://dx.doi.org/ 10.1136/bmjopen-2012-002169

Snooks, H., Anthony, R., Chatters, R., Cheung, W.-Y., Dale, J., Donohoe, R., Gaze, S., Halter, M., Koniotou, M., Logan, P., Lyons, R., Mason, S., Nicholl, J., Phillips, C., Phillips, J., Russell, I., Siriwardena, A.N., Wani, M., Watkins, A. and Whitfield, R. (2012). Support and assessment for fall emergency referrals (SAFER 2) research protocol: cluster randomised trial of the clinical and cost effectiveness of new protocols for emergency ambulance paramedics to assess and refer to appropriate community-based care. BMJ Open, 2(6), p.e002169.

Snooks, H., Anthony, R., Chatters, R., Dale, J., Fothergill, R., Gaze, S., Halter, M., Humphreys, I., Koniotou, M., Logan, P., Lyons, R., Mason, S., Nicholl, J., Peconi, J., Phillips, C., Phillips, J., Porter, A., Siriwardena, A., Smith, G., Toghill, A., Wani, M., Watkins, A., Whitfield, R., Wilson, L. and Russell, I., 2017. Support and Assessment for Fall Emergency Referrals (SAFER) 2: a cluster randomised trial and systematic review of clinical effectiveness and cost-effectiveness of new protocols for emergency ambulance paramedics to assess older people following a fall with referral to community-based care when appropriate. Health Technology Assessment, 21(13), pp.1-218.

Sterling, D.A., O'Connor, J.A. and Bonadies, J. (2001). Geriatric falls: injury severity is high and disproportionate to mechanism. The Journal of Trauma, [online] 50(1), pp.116–119. Available at: https://pubmed.ncbi.nlm.nih.gov/11231681/.

Stevens JA, Mahoney J, Ehrenreich H (2014) Circumstances and outcomes of falls among high risk community-dwelling older adults. Injury Epidemiology 1(5): 1–2. doi: 10.1186/2197-1714-1-5

Strini, V., Schiavolin, R. and Prendin, A. (2021). Fall Risk Assessment Scales: A Systematic Literature Review. Nursing Reports, 11(2), pp.430–443.

The Royal Literary Fund. 2021. Why write a literature review?. [online] Available at: https://www.rlf.org.uk/resources/why-write-a-literature-review/ [Accessed 13 November 2021].

Thompson, J. (2013). Exploring paramedic patient assessment. Journal of Paramedic Practice, 5(6), pp.342–347.

Tian Y, Thompson J, Buck D, Sonola L. Exploring the System-wide Costs of Falls in Older People in Torbay. London: The King's Fund; 2013.

Tiedemann, A., Mikolaizak, A.S., Sherrington, C., Segin, K., Lord, S.R. and Close, J.C.T. (2013). Older fallers attended to by an ambulance but not transported to hospital: a vulnerable population at high risk of future falls. Australian and New Zealand Journal of Public Health, 37(2), pp.179–185.

Tinetti ME, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. N Engl J Med 1988;319:1701–7. http://dx.doi.org/10.1056/NEJM198812293192604

Tkatch, R., Musich, S., MacLeod, S., Alsgaard, K., Hawkins, K. and Yeh, C.S. (2016). Population Health Management for Older Adults. Gerontology and Geriatric Medicine, 2, p.233372141666787.

Todd C, Skelton D. (2004) What are the main risk factors for falls among older people and what are the most effective interventions to prevent these falls? Copenhagen, WHO Regional Office for Europe (Health Evidence Network report; http://www.euro.who.int/document/E82552.pdf,

Tohira, H., Fatovich, D., Williams, T.A., Bremner, A.P., Arendts, G., Rogers, I.R., Celenza, A., Mountain, D., Cameron, P., Sprivulis, P., Ahern, T. and Finn, J. (2016). Is it Appropriate for Patients to be Discharged at the Scene by Paramedics? Prehospital emergency care: official journal of the National Association of EMS Physicians and the National Association of State EMS Directors, [online] 20(4), pp.539–549. Available at: https://pubmed.ncbi.nlm.nih.gov/26836060/ [Accessed 5 Aug. 2021].

Tversky, A. and Kahneman, D., Judgment under uncertainty: Heuristics and biases. Science, 1974. 185(4157): p. 1124-1131.

Watkins, P.M., Buzzacott, P., Brink, D., Masters, S. and Hill, A.-M. (2021). Pre-hospital management, injuries and disposition of ambulance attended adults who fall: A scoping review protocol. Australasian Journal of Paramedicine, 18.

Whitehead, C., Wundke, R., Crotty, M. and Finucane, P. (2003). Evidence-based clinical practice in falls prevention: a randomised controlled trial of a falls prevention service. Australian Health Review, 26(3), p.88.

Winkin, V., Pinckaers, V., D'Orio, V. and Ghuysen, A. (2013). Overcrowding estimation in the emergency department: is the simplest score the best? Critical Care, 17(Suppl 2), p.P258.

www.cdc.gov. (2019). About CDC's STEADI (Stopping Elderly Accidents, Deaths, & Injuries) Initiative | STEADI - Older Adult Fall Prevention | CDC Injury Center. [online] Available at: https://www.cdc.gov/steadi/about.html.

Xie, Z. and Miyazaki, K. (2013). Evaluating the effectiveness of keyword search strategy for patent identification. World Patent Information, 35(1), pp.20–30.

Yardley, L., Bishop, F.L., Beyer, N., Hauer, K., et al., Older people's views of falls-prevention interventions in six european countries. Gerontologist, 2006. 46(5): p. 650-660.

Yardley, L., Donovan-Hall, M., Francis, K., and Todd, C., Older people's views of advice about falls prevention: A qualitative study. Health Education Research, 2006. 21(4): p. 508-517.

Zozula, A., Carpenter, C.R., Lipsey, K. and Stark, S. (2016). Prehospital emergency services screening and referral to reduce falls in community-dwelling older adults: a systematic review. Emergency Medicine Journal, [online] 33(5), pp.345–350. Available at:

https://www.cpc.mednet.ucla.edu/uploads/mih/library/66%20Reducing%20falls%20in%20older%20 adults.pdf.